

RAVENOL Super HD 50

SAE: 50W

Mineral



1 l

Vendor:
1113305-001
Vendor:
1113305-001-01-999



4 l

Vendor:
1113305-004
Vendor:
1113305-004-01-999



5 l

Vendor:
1113305-005
Vendor:
1113305-005-01-999



10 l

Vendor:
1113305-010



20 l

Vendor:
1113305-020
Vendor:
1113305-020-01-999



20 l, ecobox

Vendor:
1113305-B20



60 l

Vendor:
1113305-060
Vendor:
1113305-060-01-999



60 l, տպագիր տակառ

Vendor:
1113305-D60



208 l

Vendor:
1113305-208
Vendor:
1113305-208-01-999



1 000 l

Vendor:
1113305-700

RAVENOL Super HD 50 is a mineral mono grade engine oil for passenger car gasoline and diesel engines with and without turbocharging, and is also suitable for commercial vehicle engines and vans under light loads which require this grade of oil. Designed to minimize friction and wear, the formulation ensures year round high lubricity throughout all operating conditions.

Extended oil drain capability where recommended by the vehicle manufacturer.

Application Note

RAVENOL Super HD 50 is suitable for both gasoline and diesel engines in cars, van and commercial vehicles with and without turbocharging under light loads which require this SAE 50 grade of oil.

Characteristics

- Good shear stability
- High oxidation stability
- Excellent viscosity-temperature behavior
- Enhanced levels of detergent and dispersant for cleaner engines
- Very good cold starting properties
- Prevents formation of deposits and black sludge
- High safety reserves even under boundary lubrication conditions
- Catalyst suitability

Characteristics

Title	Value	Audit
API	CD, SF	
Համապատասխանում է արտադրողի պահանջներին	CCMC D1, CCMC G2, Ford ESE-M2C 153-C, Ford SMM-2C 9011A, GM 6085M, MIL-L-46152 B, MIL-L-46152 C	
Density at 20 °C	889 kg/m ³	EN ISO 12185
Գույն	tan	տեսողական
Մածուցիկություն 100 °C-ում	18.4 mm ² /s	DIN 51562-1
Մածուցիկություն 40 °C-ում	200.1 mm ² /s	DIN 51562-1
Viscosity Index VI	102	DIN ISO 2909
Pourpoint	-21 °C	DIN ISO 3016
Flashpoint	278 °C	DIN EN ISO 2592
TBN	7.4 mgKOH/g	ASTM D2896

Out of production

Product	Vendor	Barcode
1 l	1113305-001-06-999	
10 l	1113305-010-01-999	