

# RAVENOL MARINE Gear Lube

**Mineral****1 Լ**

Vendor:  
**1233100-001**  
Vendor:  
1233100-001-01-999  
Barcode:  
4014835734913

**4 Լ**

Vendor:  
**1233100-004**

**10 Լ**

Vendor:  
**1233100-010**

**20 Լ**

Vendor:  
**1233100-020**  
Vendor:  
1233100-020-01-999  
Barcode:  
4014835734920

**20 Լ, ecobox**

Vendor:  
**1233100-B20**

**60 Լ**

Vendor:  
**1233100-060**

**208 Լ, տպագիր տակառ**

Vendor:  
**1233100-D60**

**208 Լ**

Vendor:  
**1233100-208**



**1 000 l**

Vendor:

**1233100-700**

**RAVENOL MARINE Gear Lube** contains high-quality base oils, with a balanced combination of additives. This guarantees a high load carrying capacity, wear protection and oxidation stability.

Due to its balanced formulation **RAVENOL MARINE Gear Lube** offers a good viscosity-temperature behavior, low pour point and no foaming.

**RAVENOL MARINE Gear Lube** allows use with different operating conditions.

## Application Note

**RAVENOL MARINE Gear Lube** is gear oil for lubricating in boat and ship transmissions, when a GL-5 transmission type is required.

## Characteristics

- Good adhesion and pressure-resistant lubricating film
- Excellent oxidation stability
- Very good viscosity-temperature behaviour
- Wear-resistant effect
- No foaming tendency
- Extraordinary ageing stability
- A neutral behaviour towards metals and sealing materials

## Characteristics

Title	Value	Audit
API	GL-5	
Համապատասխանում է արտադրողի պահանջներին	Volvo PENTA	
Suitable for	Mercruiser, Mercury, Yanmar	
Density at 20 °C	882 kg/m <sup>3</sup>	EN ISO 12185
Գույն	Blue	տեսողական
Մածոնցիկություն 100 °C-ում	14.3 mm <sup>2</sup> /s	DIN 51562-1
Մածոնցիկություն 40 °C-ում	130.3 mm <sup>2</sup> /s	DIN 51562-1
Viscosity Index VI	108	DIN ISO 2909
Pourpoint	-33 °C	DIN ISO 3016
Flashpoint	222 °C	DIN EN ISO 2592
Brookfield Viscosity at -26 °C	60.100 mPa*s	ASTM D2983
Copper Strip Test at 121 °C	1b	ASTM D130

## Analogs

### BRP

778755, 0175121, 0772084, 0775605, 0779480

### Suzuki

9900022B22, 9900022B22000

### Volvo

40005011, 40005014

### Yamaha

90790BS80100

### Yamalube

90790BT802, ACCGLUBEHDQT, B008N3K2HC, ACCGEARLUBGL, ACCGEARLUBQT, YMD730111003, YMD730112052, YMD730116002, YMD730111002, 90790BS80200, ACCGEARLUB10, 90790BS801, 90790BS802, 9079073602, 90790BS80600, YMD730100TA2, 90790BS80700, 90790BS81900, 90790BS806, 90790BS807, 90790BS819, YMD7301010A3, YMD730106002, YMD730102052, YMD730100T00, YMD730100T01, YMD730100T02, YMD730100TA3, YMD730101002, YMD7301010A2, 90790BS82000, 90790BS81100, 90790BS81200, 90790BS811, 90790BS812, 90790BS820, YMD730112003, YMD730112002, YMD730112001, YMD730102003, YMD730102001, YMD730102000, YMD730102002

## Out of production

<i>Product</i>	<i>Vendor</i>	<i>Barcode</i>
1 l	1233100-001-01-100 1233100-001-06-999	4014835647015 2200000019608
4 l	1233100-004-01-999	
10 l	1233100-010-01-999	
20 l	1233100-020-01-100	4014835647022 2200000034526 2200000036698
60 l	1233100-060-01-999	
208 l	1233100-208-01-999	