

RAVENOL Getriebeoel CLP 460

SAE: 460

Mineral



5 l

Vendor:
1332111-005



20 l

Vendor:
1332111-020
Vendor:
1332111-020-01-999
Barcode:
4014835761926



20 l ecobox

Vendor:
1332111-B20



60 l

Vendor:
1332111-060
Vendor:
1332111-060-01-999
Barcode:
4014835761964



208 l

Vendor:
1332111-208
Vendor:
1332111-208-01-999



1 000 l

Vendor:
1332111-700

RAVENOL Getriebeoel CLP 460 is a high quality, mineral-based gear oil formulated with lead-free high-pressure additives (EP additives). Its special active substance combination provides a good, stable high-pressure impact load capacity.

RAVENOL Getriebeoel CLP 460 has a low pour point and therefore a very good cold behaviour.

Application Note

RAVENOL Getriebeoel CLP 460 can be used as a lubricant in nearly all industrial gear drives due to its good stress and/or impact characteristics.

Characteristics

- A very good, stable high-pressure impact capacity
- Resistant characteristics at high temperatures
- A good rust and corrosion impeding effect
- Excellent wear protection
- Very good anti-foaming characteristics
- A low pour point
- Very good cold behaviour

Characteristics

Title	Value	Audit
Համապատասխանում է արտադրողի պահանջներին	AGMA 9005-D94, Clean Panel Coker, S-200 Oxidation Tubes, U.S. Steel 224	
Համապատասխանում է արտադրողի բնութագրերին	DIN 51517-3	
Suitable for	Cincinnati Milacron	
Density at 20 °C	900 kg/m ³	EN ISO 12185
Գույն	tan	տեսողական
Մածուցիկություն 100 °C-ում	31.2 mm ² /s	DIN 51562-1
Մածուցիկություն 40 °C-ում	490.3 mm ² /s	DIN 51562-1
Viscosity Index VI	93	DIN ISO 2909
Pourpoint	-12 °C	DIN ISO 3016
Flashpoint	224 °C	DIN EN ISO 2592

Out of production

Product	Vendor	Barcode
5 l	1332111-005-01-999	
60 l	1330111-060-01-000	